








Discount, Prices are exclusive shippingcostst

Price level (P.L.)	1	From 1 to 9 in one shipping order
Price level (P.L.)	2	From 10 to 49 in one shipping order
Price level (P.L.)	3	From 50 to 99 in one shipping order
Price level (P.L.)	4	From 100 in one shipping order

Table of contents






RUKRA Remote Digital / Bi-Directional	Page 2
RUKRA Remote SMS / GSM / PSTN	Page 3
Antennas	Page 4
Antennas and Cables	Page 5
Cables	Page 6
Connectors	Page 7, 8
Accessoires	Page 9
Programming tools	Page 10
Hand tools	Page 11
Ordering, Delivering, Warranty and Contact information	Page 12

Picture	Item no.	Article
	<p>RK-3020</p>	<p>RUKRA Remote Digit IO_11 Set of 2 modules incl antenne Bi-directional wireless switch 0 to 1000 Meter 1 x Input NO 1 x Output NO/COM/NC 1A Power 10-30VDC Size: H*W*D = 80*112*30mm</p>
	<p>RK-3004</p>	<p>RUKRA Remote Digit IO_44 1 module excl antenne Bi-directional wireless switch 0 to 2000 Meter 4x Input 4 x Output transistor 50Ma Power 10-30VDC Size: H*W*D = 80*112*30mm</p>
	<p>RK-3006</p>	<p>RUKRA Remote Digit IO_02_H Transmitter Bi-directional wireless switch 0 to 2000 Meter 3 buttons with panic function Low battery detection Size: H*W*D = 45*85*16mm</p>
	<p>RK-3005</p>	<p>RUKRA Remote Digit IO_02_O Receiver excl antenne 0 to 2000 Meter 2 x Output Battery alarm Sabotage alarm Power 10-30VDC Size: H*W*D = 80*112*30mm</p>
	<p>RK-3011</p>	<p>RUKRA Remote Digit IO_03 Including 2 transmitters 0 to 300 meter 3 x Output NO/COM/NC 15A Power 10-30VDC Size: H*W*D = 110*80*30mm</p>

RUKRA REMOTE SMS / GSM / PSTN

Picture	Item no.	Article
	<p>RK-3015</p>	<p>RUKRA Remote GSM Intercom (1B) 7 Phonenumbers per button 1 x Input (alarm or control) 2 x Output NO/COM/NC 1A Remote programming Power: 9-24V AC/DC Option: Back-up battery Size: H*W*D = 185*99*40mm</p>
	<p>RK-3016</p>	<p>RUKRA Remote GSM Intercom (2B) 7 Phonenumbers per button 1 x Input (alarm or control) 2 x Output NO/COM/NC 1A Remote programming Power: 9-24V AC/DC Option: Back-up battery Size: H*W*D = 185*99*40mm</p>
	<p>RK-3001</p>	<p>RUKRA Remote GSM IO_22 Incl antenne 2 x Input 2 x Output N.O. 5A Battery connection with alarm Power 9-15VDC Option: Battery 9,6V Size: H*W*D = 145*75*30mm</p>
	<p>RK-3000</p>	<p>RUKRA Remote PSTN IO_04 Switch outputs from your phoneline Ask status of outputs With memory after powerbreak 4 x Output N.O. 10A Power 230V AC Size: H*W*D = 160*90*58mm</p>
	<p></p>	<p></p>

RUKRA ANTENNAS

Picture	Item no.	Article
	<p>RK-3009</p>	<p>Directiol Antenne 434Mhz</p> <p>10 dB Voorversterking</p> <p>Size: 755*420*410mm</p>
	<p>RK-3010</p>	<p>Standard for directional antenna</p> <p>Stainlessfree steel</p> <p>Size: 200*200*200*30mm</p>
	<p>RK-3007</p>	<p>Antenne with bracket 434Mhz</p> <p>Lenght Cable 3m (BNC)</p>
	<p>RK-3008</p>	<p>Antenne 434Mhz</p> <p>Helix -3dB / m. with BNC adapter</p>
	<p>RK-1202</p>	<p>Regular GSM antenne</p> <p>With magnet food</p> <p>SMA connector</p> <p>Size Cable: L = 3m</p> <p>Size: L = 200mm</p>

RUKRA ANTENNE / CABLE

Picture	Item no.	Article
	RK-1203	GSM Antenna extra strong Wall mount outdoor antenna 2dBi, 900/1800/1900/2100mHz, 5m RG58 cable with fixation mounts SMA(m) Cable lenght: 5m RG58 Size: L= 380mm
	RK-3060	RUKRA FME Antenne cable 2m Connection: FME / FME Lenght cable: 2m
	RK-3061	RUKRA FME Antenne cable 5m Connection: FME / FME Lenght cable: 5m
	RK-3062	RUKRA FME Antenne cable 10m Connection FME / FME Lenght cable: 10m
	RK-3063	RUKRA SMA(MM)Antenne cable 2 Connection: SMA male / SMA male Lenght cable: 2m

RUKRA CABLE

Picture	Item no.	Article
	RK-3064	RUKRA SMA(MM)Antenne cable 5 Connection: SMA male / SMA male Lenght cable: 5m
	RK-3065	RUKRA SMA(MF)Antenne cable 2m Connection: SMA male / SMA Female Lenght cable: 2m
	RK-3066	RUKRA SMA(MF)Antenne cable 5m Connection: SMA male / SMA Female Lenght cable: 5m
	RK-3067	RUKRA BNC Antenne cable 2m Connection: BNC male_BNC male connector Lenght cable: 2m
	RK-3068	RUKRA BNC Antenne cable 5m Connection: BNC male_BNC male connector Lenght cable: 5m

RUKRA CONNECTORS

Picture	Item no.	Article
	RK-3069	RUKRA BNC (M) Connector For cable RG59
	RK-3070	RUKRA SMA (M)/BNC (F) Connector: SMA male_BNC female
	RK-3071	RUKRA SMA (M)/BNC (M) Connector: SMA male_BNC male
	RK-3072	RUKRA Contra BNC Connector: Contra BNC female
	RK-3073	RUKRA Contra FME Connector: Contra FME


RUKRA CONNECTORS


Picture	Item no.	Article
	<p>RK-3074</p>	<p>RUKRA Connector SMA-SMA (F)</p> <p>Connector: SMA female - SMA female</p>
	<p>RK-3075</p>	<p>RUKRA Connector SMA-SMA (M)</p> <p>Connector: SMA male - SMA male</p>
	<p>RK-3076</p>	<p>RUKRA Connector FME-SMA</p> <p>Connector: FME-SMA</p>


ACCESSOIRES


Picture	Item no.	Article
	RK-5004	Emergency power supply 12VDC 1 output for emergencylight 1 Output for 12VDC constant Power 230VAC Incl.230V connectorcable Incl. battery 12V/1,3Ah Max. 1A -constant 0,2A Size: H*W*D = 65*195*90mm
	RK-5022	Powersupply 12VDC/1A 230V:12VDC / 1A
	RK-4000	Relais 12-24 VDC Output: 2 x COM/NC/NO contact 2A Size: H*W*D = 34*30*16mm
	RK-5008	Accu 12V/1,3Ah Size: H*W*D = 97*52*43mm
	RK-3017	Battery for GSM Door Intercom 2000mAh

PROGRAMMING TOOLS

Picture	Item no.	Article
	<p>RK-3003</p>	<p>Programmingcable for RK-3001</p> <p>Program RUKRA Remote GSM IO_22 by PC</p> <p>USB to serial</p> <p>Download drivers at www.rukra.eu</p>




	<p>RK-3050</p>	<p>Programmingcable for RK-3015/16</p> <p>Program GSM Doorintercom by PC</p> <p>Mini USB to serial</p> <p>Download drivers at www.rukra.eu</p>
---	-----------------------	---

	<p>GDI SET Software</p> <p>Software for programming GSM Door Intercom</p> <p>Download software at www.rukra.eu</p>
---	---

	<p>RUKRA Setting GSM Software</p> <p>Software for programming GSM IO_22</p> <p>Download software at www.rukra.eu</p>
---	---

--	--	--

Hand tools

Picture	Item no.	Article
	RK-1080	Professional modular crimping tool With cable cutter Type cables connectors: RJ-45 8/8 RJ-12 6/6 RJ-11 4/6 RJ-10 4/4
	RK-1081	Cable and Connector tester Type cables connectors: RJ-11, RJ-12 and RJ-45 USB COAX
	RK-1082	Imbus screwdriver 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm



ORDERING, DELIVERING, PAYMENT AND WARRANTY

ORDERING (Click here or ask for the easy orderlist at ORDER@RUKRA.EU)

Ordering is possible by:	Email:	ORDER@RUKRA.EU
	Fax:	+31 (0) 85 201 21 90
	Tel.:	+31 (0) 33 711 39 34

DELIVERING

The Customer shall check the ordered products on arrival for any faults or deficiencies. Should the Customer find a product at fault or deficient upon examination, the Customer shall make a written claim latest within seven (7) days after the delivering of the product. Should no such claim be made, the Customer shall be considered to have accepted the product in the condition it has been delivered to the Customer.

All prices are exclusive taks and shippingcosts

PAYMENT

Customer will make the payment by Banctransfer before delivering of the products, costs of the banctransfer are for Customer.

WARRANTY

New Products delivered by RUKRA Europe B.V. shall have a two (2) years warranty from the date of delivery to the Customer. The period of warranty shall not be extended for any time of warranty repair or replacement delivery.

CONTACT INFORMATION

Name : RUKRA Europe B.V.
Adress : Koperslager 16
Postcode : 3861 SJ
City : Nijkerk
Country : The Netherlands

Email : info@rukra.eu
: order@rukra.eu
: support@rukra.eu
Phone : +31 (0) 33 711 39 34
Fax : +31 (0) 85 201 21 90

VAT No. : NL 8545.97.761 B.01
Chamber of Commerce : 62017853

IBAN Banc accountnumber : NL74 RABO 0300625294
Banc : Rabobank
SWIFT / BIC : RABONL2U